

Световые завесы и решётки, типа LCA 2

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

LIGHT GRIDS AND LIGHT CURTAINS

LCA 2



Benefits for you

- Safe monitoring options for any application
- Simple connection with M12 plug connector
- Safety category 2 and PL c according to EN ISO 13849-1
- ESPE type 2 according to DIN EN 61496-1
- Integrated evaluation
- Feedback loop connection



156671

LCA-2TR-2B-510-AP-156671

Light grid LCA-2TR-2B-510

- 2 beams
- Protective field height 510 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156641**

LCA-2TR-30-1060-AP-156641

Light curtain LCA-2TR-30-1060

- Resolution 30 mm
- Protective field height 1060 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156642**

LCA-2TR-30-1210-AP-156642

Light curtain LCA-2TR-30-1210

- Resolution 30 mm
- Protective field height 1210 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156643**

LCA-2TR-30-1360-AP-156643

Light curtain LCA-2TR-30-1360

- Resolution 30 mm
- Protective field height 1,360 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156644**

LCA-2TR-30-1510-AP-156644

Light curtain LCA-2TR-30-1510

- Resolution 30 mm
- Protective field height 1510 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156635**

LCA-2TR-30-160-AP-156635

Light curtain LCA-2TR-30-160

- Resolution 30 mm
- Protective field height 160 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156645**

LCA-2TR-30-1660-AP-156645

Light curtain LCA-2TR-30-1660

- Resolution 30 mm
- Protective field height 1660 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156646**

LCA-2TR-30-1810-AP-156646

Light curtain LCA-2TR-30-1810

- Resolution 30 mm
- Protective field height 1810 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156636**

LCA-2TR-30-310-AP-156636

Light curtain LCA-2TR-30-310

- Resolution 30 mm
- Protective field height 310 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156637**

LCA-2TR-30-460-AP-156637

Light curtain LCA-2TR-30-460

- Resolution 30 mm
- Protective field height 460 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156638**

LCA-2TR-30-610-AP-156638

Light curtain LCA-2TR-30-610

- Resolution 30 mm
- Protective field height 610 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156639**

LCA-2TR-30-760-AP-156639

Light curtain LCA-2TR-30-760

- Resolution 30 mm
- Protective field height 760 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156640**

LCA-2TR-30-910-AP-156640

Light curtain LCA-2TR-30-910

- Resolution 30 mm
- Protective field height 910 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156672**

LCA-2TR-3B-810-AP-156672

Light grid LCA-2TR-3B-810

- 3 beams
- Protective field height 810 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156653**

LCA-2TR-40-1060-AP-156653

Light curtain LCA-2TR-40-1060

- Resolution 40 mm
- Protective field height 1060 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156654**

LCA-2TR-40-1210-AP-156654

Light curtain LCA-2TR-40-1210

- Resolution 40 mm
- Protective field height 1210 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156655**

LCA-2TR-40-1360-AP-156655

Light curtain LCA-2TR-40-1360

- Resolution 40 mm
- Protective field height 1,360 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156656**

LCA-2TR-40-1510-AP-156656

Light curtain LCA-2TR-40-1510

- Resolution 40 mm
- Protective field height 1510 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156647**

LCA-2TR-40-160-AP-156647

Light curtain LCA-2TR-40-160

- Resolution 40 mm
- Protective field height 160 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156657**

LCA-2TR-40-1660-AP-156657

Light curtain LCA-2TR-40-1660

- Resolution 40 mm
- Protective field height 1660 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156658**

LCA-2TR-40-1810-AP-156658

Light curtain LCA-2TR-40-1810

- Resolution 40 mm
- Protective field height 1810 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156648**

LCA-2TR-40-310-AP-156648

Light curtain LCA-2TR-40-310

- Resolution 40 mm
- Protective field height 310 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156649**

LCA-2TR-40-460-AP-156649

Light curtain LCA-2TR-40-460

- Resolution 40 mm
- Protective field height 460 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156650**

LCA-2TR-40-610-AP-156650

Light curtain LCA-2TR-40-610

- Resolution 40 mm
- Protective field height 610 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156651**

LCA-2TR-40-760-AP-156651

Light curtain LCA-2TR-40-760

- Resolution 40 mm
- Protective field height 760 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156652**

LCA-2TR-40-910-AP-156652

Light curtain LCA-2TR-40-910

- Resolution 40 mm
- Protective field height 910 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156673**

LCA-2TR-4B-910-AP-156673

Light grid LCA-2TR-4B-910

- 4 beams
- Protective field height 910 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156665**

LCA-2TR-50-1060-AP-156665

Light curtain LCA-2TR-50-1060

- Resolution 50 mm
- Protective field height 1060 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156666**

LCA-2TR-50-1210-AP-156666

Light curtain LCA-2TR-50-1210

- Resolution 50 mm
- Protective field height 1210 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156667**

LCA-2TR-50-1360-AP-156667

Light curtain LCA-2TR-50-1360

- Resolution 50 mm
- Protective field height 1,360 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156668**

LCA-2TR-50-1510-AP-156668

Light curtain LCA-2TR-50-1510

- Resolution 50 mm
- Protective field height 1510 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156659**

LCA-2TR-50-160-AP-156659

Light curtain LCA-2TR-50-160

- Resolution 50 mm
- Protective field height 160 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156669**

LCA-2TR-50-1660-AP-156669

Light curtain LCA-2TR-50-1660

- Resolution 50 mm
- Protective field height 1660 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156670**

LCA-2TR-50-1810-AP-156670

Light curtain LCA-2TR-50-1810

- Resolution 50 mm
- Protective field height 1810 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156660**

LCA-2TR-50-310-AP-156660

Light curtain LCA-2TR-50-310

- Resolution 50 mm
- Protective field height 310 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156661**

LCA-2TR-50-460-AP-156661

Light curtain LCA-2TR-50-460

- Resolution 50 mm
- Protective field height 460 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156662**

LCA-2TR-50-610-AP-156662

Light curtain LCA-2TR-50-610

- Resolution 50 mm
- Protective field height 610 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156663**

LCA-2TR-50-760-AP-156663

Light curtain LCA-2TR-50-760

- Resolution 50 mm
- Protective field height 760 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

**156664**

LCA-2TR-50-910-AP-156664

Light curtain LCA-2TR-50-910

- Resolution 50 mm
- Protective field height 910 mm
- Range 12 m
- With plug connector M12
- 2 safety outputs (OSSD)
- Installation material is included with the product

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>