

Переносные подвесные станции и маховики НВА

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

HAND-HELD PENDANT STATION HBA



For even easier and simpler machine operation by the user, EUCHNER applied ergonomic principles to the design of the hand-held pendant stations HBA to make them fit ideally in the hand during operation. The diverse product range covers everything from standard housings to hand-held pendant stations with a wealth of expansion options at the customer's request.

The housing HBA currently offers the greatest variety and was awarded a design prize in 2001. It features degree of protection IP65 according to EN 60529.



072936

HBA-072936

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, membrane pushbuttons

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 3 membrane pushbuttons, 1 NO contact each

**079826**

HBA-079826

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, handwheel, selector switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 2 selector switches, 5 positions each (X, Y, Z, 4, 5 and 0, 1, 10, 100, 1000)

**079827**

HBA-079827

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, foil pushbuttons, selector switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 2 selector switches, 5 positions each (X, Y, Z, 4, 5 and 0, 1, 10, 100, 1000)
- 3 membrane pushbuttons, 1 NO contact each

**079828**

HBA-079828

Hand-held pendant station HBA, pushbutton

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function

**091463**

HBA-091463

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel, selector switch

- Handwheel, 25 pulses, mechanical detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts each
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 1 selector switch with 8 positions (X, Y, Z, 1, 2, 3, 4, 5)
- 1 selector switch with 5 positions (0, 1, 10, 100, 1000)
- 2 membrane pushbuttons, 1 NO contact each

**091638**

HBA-091638

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel, selector switch

- Handwheel, 100 pulses, mechanical detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts each
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 1 selector switch with 8 positions (X, Y, Z, 1, 2, 3, 4, 5)
- 1 selector switch with 5 positions (0, 1, 10, 100, 1000)
- 2 membrane pushbuttons, 1 NO contact each

**096692**

HBA-096692

Hand-held pendant station HBA, EMERGENCY STOP device, pushbuttons, membrane keypad, LEDs

- Membrane keypad can be labeled as required using slide-in strips
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel

- LEDs white, color customer-specific using colored keypad membrane
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Coiled cable, expandable to 5 m, 35-pin plug connector



100186

HBA-100186

Hand-held pendant station HBA, enabling switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts each



100194

HBA-100194

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel, selector switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts each
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 1 selector switch with 6 positions (X, Y, Z, 4, 5, 6)
- 1 selector switch with 5 positions (0, 1, 10, 100, 1000)
- 3 membrane pushbuttons, 1 NO contact each



100212

HBA-100212

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel, selector switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts each
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 1 selector switch with 6 positions (X, Y, Z, 4, 5, 6)

- 1 selector switch with 5 positions (0, 1, 10, 100, 1000)



100213

HBA-100213

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, membrane pushbuttons, handwheel

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- 1 enabling switch, 3-stage, 2 NO contacts
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 3 membrane pushbuttons, 1 NO contact each



103037

HBA-103037

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, pushbuttons, membrane pushbuttons, handwheel, selector switch

- Handwheel, 100 pulses, wear-free magnetic detent mechanism
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- 1 selector switch, 6 positions (0, Z, X, Y, 4, 5)
- 6 membrane pushbuttons, 1 NO contact each
- 1 enabling switch, 3-stage, 2 NO contacts



105693

HBA-105693

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, pushbuttons, membrane keypad, LEDs

- Membrane keypad can be labeled as required using slide-in strips
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- LEDs white, color customer-specific using colored keypad membrane

- 1 enabling switch, 3-stage, 2 NO contacts
- Coiled cable, expandable to 3.5 m, 42-core, flying lead



123208

HBA-123208

Hand-held pendant station HBA, EMERGENCY STOP device, enabling switch, pushbuttons, membrane keypad, LEDs

- Membrane keypad can be labeled as required using slide-in strips
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- LEDs white, color customer-specific using colored keypad membrane
- 1 enabling switch, 3-stage, 2 NO contacts
- Coiled cable, expandable to 6.5 m, 42-core, flying lead



072949

HBAS-072949

Hand-held pendant station HBAS, EMERGENCY STOP device, pushbuttons, membrane keypad, programmable pulse generator, LC display

- Programmable pulse generator
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- Membrane keypad with 20 keys and 2 LEDs
- LC display with LED background lighting, switchable 4-line/8-column or 8-line/16-column
- RS422 interface, 3964R protocol
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Coiled cable can be expanded to 3.5 m



094594

HBAS-094594

Hand-held pendant station HBAS, EMERGENCY STOP device, enabling switch, pushbuttons, membrane keypad, programmable pulse generator, LC display

- Programmable pulse generator
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- Membrane keypad with 20 keys and 2 LEDs
- LC display with LED background lighting, switchable 4-line/8-column or 8-line/16-column
- RS422 interface, 3964R protocol
- 1 enabling switch, 3-stage, 2 NO contacts
- Coiled cable can be expanded to 3.5 m



099105

HBAS-099105

Hand-held pendant station HBAS, EMERGENCY STOP device, enabling switch, pushbuttons, membrane keypad, programmable pulse generator, LC display

- Programmable pulse generator
- Tamper-proof EMERGENCY STOP device according to EN ISO 13850, dual-channel
- Membrane keypad with 20 keys and 2 LEDs
- LC display with LED background lighting, switchable 4-line/8-column or 8-line/16-column
- RS422 interface, 3964R protocol
- 2 pushbuttons, 2-stage, 1 NO contact each, e.g. for enabling function
- Straight connecting cable, length 10 m

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>