

Многофункциональные дверные модули MSM

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

SUBMODULES MSM



- Controls and indicators for installation in locking and expansion modules
- Installation rotated by 180° possible
- incl. lens set for pushbuttons



126372

MSM-1-N-AA-000-A4-126372

Submodule MSM-1-N... (blanking cover)

- Function expansion for modules MGB2 and MCM
- Connection type: N
- Blanking cover



137610

MSM-1-N-AA-QQQ-B1-137610

Submodule MSM-1-N... (blanking cover with 3 adhesive labels)

- Function expansion for modules MGB2 and MCM
- Connection type: N
- 3 cut-outs for slide-in labels
- incl. transparent label holder (AY-C-A1-156732)
- incl. slide-in labels



171757

MSM-1-N-AA-XXX-L5-171757

Submodule MSM-1-N... (Slide-in labels)

- Function expansion for modules MGB2 and MCM
- Connection type: N
- 3 cut-outs for slide-in labels
- incl. slide-in labels



166705

MSM-1-P-CA-00P0P0-H6-166705

Submodule MSM-1-P... (2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons



169563

MSM-1-P-CA-00P0P0-K2-169563

Submodule MSM-1-P... (2 illuminated white pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated white pushbuttons with symbol



137744

MSM-1-P-CA-0P0-B8-137744

Submodule MSM-1-P... (illuminated pushbutton, middle)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated pushbuttons
- incl. lens set

**164730**

MSM-1-P-CA-0R0-G1-164730

Submodule MSM-1-P... (illuminated white acknowledgment button, middle)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated white acknowledgment button, middle

**165632**

MSM-1-P-CA-A0Q0Q0-H2-165632

Submodule MSM-1-P... (emergency stop, slide-in labels)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 emergency stop according to ISO 13850
- 2 cut-outs for slide-in labels
- incl. 2 x slide-in labels

**165040**

MSM-1-P-CA-ALP-G5-165040

Submodule MSM-1-P... (emergency stop, cover for indicators, 1 illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 emergency stop according to ISO 13850

- Cover for indicators
- 1 illuminated pushbuttons
- incl. lens set



163119

MSM-1-P-CA-APP-E3-163119

Submodule MSM-1-P... (emergency stop, 2 illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 emergency stop according to ISO 13850
- 2 illuminated pushbuttons
- incl. lens set



165823

MSM-1-P-CA-APP-H3-165823

Submodule MSM-1-P... (emergency stop, 2 illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 emergency stop according to ISO 13850
- 2 illuminated pushbuttons



166725

MSM-1-P-CA-APP-H7-166725

Submodule MSM-1-P... (emergency stop, 2 illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 emergency stop according to ISO 13850
- 2 illuminated pushbuttons

**159480**

MSM-1-P-CA-B00-C8-159480

Submodule MSM-1-P... (illuminated emergency stop)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850

**168644**

MSM-1-P-CA-B000W0-I8-168644

Submodule MSM-1-P... (illuminated emergency stop, 1 key-operated rotary switch, form V)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 key-operated rotary switch 1 x 90°, form V
- incl. 2 keys (OM.R-165433)

**137738**

MSM-1-P-CA-B0P-B5-137738

Submodule MSM-1-P... (illuminated emergency stop, illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 illuminated pushbuttons
- incl. lens set



166191

MSM-1-P-CA-B0P0W0-H5-166191

Submodule MSM-1-P... (illuminated emergency stop, illuminated pushbutton, key-operated rotary switch, form V)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 illuminated pushbuttons
- 1 key-operated rotary switch 1 x 90°, form V
- incl. 2 keys (OM.R-165433)



167267

MSM-1-P-CA-B0Q000-I2-167267

Submodule MSM-1-P... (illuminated emergency stop, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 cut-out for slide-in label
- incl. 1 x slide-in label



171759

MSM-1-P-CA-B0Q0P0-L6-171759

Submodule MSM-1-P... (illuminated emergency stop, 1 yellow illuminated pushbutton with symbol, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 yellow illuminated pushbutton with symbol
- 1 cut-out for slide-in label
- incl. 1 x slide-in label

**136687**

MSM-1-P-CA-BPP-A1-136687

Submodule MSM-1-P... (emergency stop illuminated, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated pushbuttons
- incl. lens set

**161589**

MSM-1-P-CA-BPP-D5-161589

Submodule MSM-1-P... (illuminated emergency stop, 2 illuminated white pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated white pushbuttons with symbol

**162930**

MSM-1-P-CA-BPP-E2-162930

Submodule MSM-1-P... (illuminated emergency stop, 2 illuminated blue pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated blue pushbuttons with symbol



163609

MSM-1-P-CA-BPP-E5-163609

Submodule MSM-1-P... (illuminated emergency stop, 2 illuminated white pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated white pushbuttons with symbol



165201

MSM-1-P-CA-BPP-G8-165201

Submodule MSM-1-P... (emergency stop illuminated, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated pushbuttons



164629

MSM-1-P-CA-BQQ-F7-164629

Submodule MSM-1-P... (illuminated emergency stop, with 2 adhesive labels)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 cut-outs for slide-in labels
- incl. slide-in labels



171540

MSM-1-P-CA-E0L0L0-L3-171540

Submodule MSM-1-P... (machine stop, 2 cover for indicators)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 machine stop
- 2 cover for indicators

**161861**

MSM-1-P-CA-EPP-D7-161861

Submodule MSM-1-P... (machine stop, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 machine stop
- 2 illuminated pushbuttons
- incl. lens set

**161045**

MSM-1-P-CA-HL0-D3-161045

Submodule MSM-1-P... (1 key-operated rotary switch, form V, cover for indicators)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 key-operated rotary switch, 1 x 40°, form V
- Cover for indicators
- incl. lens set
- incl. 2 keys (ID no. 121809)

**137750**

MSM-1-P-CA-JPP-C2-137750

Submodule MSM-1-P... (1 key-operated rotary switch form L, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 key-operated rotary switch 1 x 90°, form L
- 2 illuminated pushbuttons
- incl. lens set



137752

MSM-1-P-CA-KPP-C3-137752

Submodule MSM-1-P... (1 selector switch 90°, form V, illuminated, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 selector switches 1 x 90°, form V, illuminated
- 2 illuminated pushbuttons
- incl. lens set



162700

MSM-1-P-CA-L0P-D9-162700

Submodule MSM-1-P... (cover for indicators top/bottom, illuminated pushbutton, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- Cover for indicators
- 1 illuminated pushbuttons
- incl. lens set



137746

MSM-1-P-CA-P00-B9-137746

Submodule MSM-1-P... (illuminated pushbutton, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P

- 1 illuminated pushbuttons
- incl. lens set



164338

MSM-1-P-CA-P00-F5-164338

Submodule MSM-1-P... (illuminated pushbutton, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated pushbuttons



137740

MSM-1-P-CA-P0P-B6-137740

Submodule MSM-1-P... (2 illuminated pushbuttons, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons
- incl. lens set



167136

MSM-1-P-CA-P1Q000-H9-167136

Submodule MSM-1-P... (illuminated mushroom-head pushbutton, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- Illuminated mushroom-head pushbutton
- 1 cut-out for slide-in label
- incl. 1 x slide-in label



137742

MSM-1-P-CA-PP0-B7-137742

Submodule MSM-1-P... (2 illuminated pushbuttons, middle, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons, middle, top/bottom
- incl. lens set



162927

MSM-1-P-CA-PP0-E1-162927

Submodule MSM-1-P... (2 illuminated white pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated white pushbuttons with symbol



164633

MSM-1-P-CA-PP0-F8-164633

Submodule MSM-1-P... (2 illuminated pushbuttons, middle, top/bottom)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons, middle, top/bottom



166181

MSM-1-P-CA-PP0-H4-166181

Submodule MSM-1-P... (1 illuminated pushbutton with symbol at top/bottom, 1 illuminated pushbutton in the middle)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated white pushbutton with symbol
- 1 illuminated red pushbutton



127040

MSM-1-P-CA-PPP-A9-127040

Submodule MSM-1-P... (3 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons
- incl. lens set



161921

MSM-1-P-CA-PPP-D8-161921

Submodule MSM-1-P... (3 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons with labeling



164660

MSM-1-P-CA-PPP-F9-164660

Submodule MSM-1-P... (3 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons with symbol

**168641**

MSM-1-P-CA-PPP-I7-168641

Submodule MSM-1-P... (2 illuminated pushbuttons with symbol at top/bottom, 1 illuminated pushbutton in the middle)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons with symbol
- 1 illuminated pushbutton
- incl. lens set

**170572**

MSM-1-P-CA-PPP-K3-170572

Submodule MSM-1-P... (3 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons with symbol

**171765**

MSM-1-P-CA-PPP-L9-171765

Submodule MSM-1-P... (3 white illuminated white pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated white pushbuttons



172041

MSM-1-P-CA-PPP-M2-172041

Submodule MSM-1-P... (3 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons with symbol

**172054**

MSM-1-P-CA-PPP-M3-172054

Submodule MSM-1-P... (3 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons with symbol

**161474**

MSM-1-P-CA-PPW-D4-161474

Submodule MSM-1-P... (2 illuminated pushbuttons, middle, top/bottom, key-operated rotary switch)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons, white/green
- 1 key-operated rotary switch 1 x 90°, form V
- incl. 2 keys (OM.R-165433)

**163855**

MSM-1-P-CA-PQD-E9-163855

Submodule MSM-1-P... (1 illuminated pushbutton, 1 key-operated rotary switch, form V, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P

- 1 illuminated pushbuttons
- 1 cut-out for slide-in label
- 1 key-operated rotary switch SSG10, 1 x 90°, form V
- incl. key SSG10
- incl. lens set
- incl. 1 x slide-in label



164048

MSM-1-P-CA-PQP-F2-164048

Submodule MSM-1-P... (2 illuminated pushbuttons, top/bottom, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated pushbuttons
- 1 cut-out for slide-in label
- incl. lens set
- incl. 1 x slide-in label



171763

MSM-1-P-CA-PQP-L8-171763

Submodule MSM-1-P... (2 illuminated pushbuttons, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 2 illuminated white pushbuttons
- 1 cut-out for slide-in label
- incl. 2 x slide-in label



171761

MSM-1-P-CA-Q0P000-L7-171761

Submodule MSM-1-P... (1 illuminated pushbutton, slide-in label)

- Function expansion for modules MGB2 and MCM
- Connection type: P

- 1 illuminated white pushbutton
- 1 cut-out for slide-in label
- incl. 2 x slide-in label



171767

MSM-1-P-CA-Q0P2P0-M1-171767

Submodule MSM-1-P... (1 mushroom pushbutton, 1 gray pushbutton illuminated with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 mushroom pushbutton
- 1 gray pushbutton illuminated with symbol
- 1 cut-out for insert label
- incl. insert sign



171654

MSM-1-P-CA-R0R0H0-L4-171654

Submodule MSM-1-P... (1 key-operated rotary switch Form V, 2 acknowledgement buttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 key-operated rotary switch, 1 x 40°, form V
- 2 acknowledgement buttons
- incl. lens set
- incl. 2 keys



157218

MSM-1-P-CA-RRR-C5-157218

Submodule MSM-1-P... (3 illuminated acknowledgment buttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P

- 3 illuminated acknowledgment buttons



167736

MSM-1-P-CA-T10000-I4-167736

Submodule MSM-1-P... (1 selector switch, test pulse monitored, 1 x 40°, form V, illuminated)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 selector switch (test pulse monitored) 1 x 40°, form V, illuminated



158906

MSM-1-P-CA-TTT-C7-158906

Submodule MSM-1-P... (3 selector switches 1 x 90°, form V, illuminated)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 selector switches 1 x 90°, form V, illuminated



164925

MSM-1-P-CA-ZZZ-G6-164925

Submodule MSM-1-P... 3 illuminated pushbuttons (test pulse monitored)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 3 illuminated pushbuttons (test pulse monitored)
- incl. lens set



171255

MSM-1-P-CS-B00-K9-171255

Submodule MSM-1-P... (illuminated emergency stop with protective collar)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850

**167100**

MSM-1-P-CS-B0L0D1-I1-167100

Submodule MSM-1-P... (emergency stop, cover for indicators, key-operated rotary switch)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- Cover for indicators, middle
- 1 key-operated rotary switch 1 x 40°, form V, spring return
- incl. lens set (1 x white, 1 x white with labeling)

**137020**

MSM-1-P-CS-B0P-A2-137020

Submodule MSM-1-P... (illuminated emergency stop with protective collar, illuminated pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- 1 illuminated pushbuttons
- incl. lens set

**167632**

MSM-1-P-CS-B0P0D1-I3-167632

Submodule MSM-1-P... (emergency stop, pushbutton, key-operated rotary switch)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 1 illuminated blue pushbutton
- 1 key-operated rotary switch SSG10, 1 x 40°, form V, pushbuttons



165078

MSM-1-P-CS-BLH-G7-165078

Submodule MSM-1-P... (illuminated emergency stop with protective collar, cover for indicators, key-operated rotary switch)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- Cover for indicators
- 1 key-operated rotary switch 1 x 40°, form V
- incl. lens set



164819

MSM-1-P-CS-BPH-G3-164819

Submodule MSM-1-P... (illuminated emergency stop with protective collar, illuminated pushbutton, key-operated rotary switch, form V)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- 1 illuminated pushbuttons
- 1 key-operated rotary switch, form V
- incl. lens set



164821

MSM-1-P-CS-BPH-G4-164821

Submodule MSM-1-P... (illuminated emergency stop with protective collar, illuminated pushbutton, key-operated rotary switch, form V)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- 1 illuminated blue pushbutton
- 1 key-operated rotary switch, 1 x 40°, form V



126381

MSM-1-P-CS-BPP-A5-126381

Submodule MSM-1-P... (illuminated emergency stop with protective collar, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- 2 illuminated pushbuttons
- incl. lens set



164333

MSM-1-P-CS-BPP-F4-164333

Submodule MSM-1-P... (illuminated emergency stop with protective collar, 2 illuminated pushbuttons)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop with protective collar according to ISO 13850
- 2 illuminated pushbuttons with labeling



169462

MSM-1-P-TA-B00-J6-169462

Submodule MSM-1-P... (illuminated emergency stop)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850

- Use down to a temperature of -30°C



167902

MSM-1-P-TA-BPP-I5-167902

Submodule MSM-1-P... (illuminated emergency stop, 2 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 illuminated emergency stop according to ISO 13850
- 2 illuminated pushbuttons with symbol
- Use down to a temperature of -30°C



167906

MSM-1-P-TA-KPP-I6-167906

Submodule MSM-1-P... (1 selector switch 90°, form V, illuminated, 2 illuminated pushbuttons with symbol)

- Function expansion for modules MGB2 and MCM
- Connection type: P
- 1 selector switches 1 x 90°, form V, illuminated
- 2 illuminated pushbuttons with symbol
- Use down to a temperature of -30°C



160626

MSM-1-R-CA-BPM-D2-160626

Submodule MSM-1-R... (emergency stop illuminated, 1 illuminated pushbutton, M12 plug connector for enabling switch)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- 1 illuminated emergency stop according to ISO 13850
- 1 illuminated blue pushbutton
- 1 plug connector M12 for connecting an enabling switch

**168595**

MSM-1-R-CKS2-FLX-00Q0FS-J1-168595

Submodule MSM-1-R... (CKS2 key adapter)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- CKS2 key adapter with integrated evaluation electronics
- Freely controllable LEDs (red, green, yellow)
- Additional RGB LED for simple diagnostics
- Cut-out for slide-in label
- Incl. color slide-in labels

**168594**

MSM-1-R-CKS2-FLX-R1Q0FS-I9-168594

Submodule MSM-1-R... (CKS2 adapter, acknowledgment pushbutton)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- CKS2 key adapter with integrated evaluation electronics
- 1 acknowledgement button
- Freely controllable LEDs (red, green, yellow)
- Additional RGB LED for simple diagnostics
- Cut-out for slide-in label
- Incl. lens set
- Incl. color slide-in labels

**137597**

MSM-1-R-DA-00N-A7-137597

Submodule MSM-1-R... (M23 plug connector for enabling switch)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- 1 plug connector M23 for connecting an enabling switch

**137596**

MSM-1-R-DA-M00-A6-137596

Submodule MSM-1-R... (M12 plug connector for enabling switch)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- 1 plug connector M12 for connecting an enabling switch

**165628**

MSM-1-R-DA-SISISI-H1-165628

Submodule MSM-1-R... (3 x M12 plug connectors for OSSD safety switches)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- 3 x M12 plug connectors for connecting OSSD safety switches
- Status LED per M12 plug connector

**164058**

MSM-1-R-DA-SQSQSQ-F3-164058

Submodule MSM-1-R... (3 x M12 plug connectors for electromechanical safety switches)

- Function expansion for modules MGB2 and MCM
- Connection type: R
- 3 x M12 plug connectors for connecting electromechanical safety switches
- Status LED per M12 plug connector

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>