

Множественные концевые выключатели GSBF

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

MULTIPLE LIMIT SWITCH GSBF



- Upright housing
- Mechanical and inductive
- Up to 20 switch stations



085983

GSBF02D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



091143

GSBF02D12-1508-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm

- Upright housing
- Degree of protection IP67 according to IEC 60529



085914

GSBF02D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



089524

GSBF02D12-502LE060-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



089066

GSBF02D12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display

**088370**

GSBF02D16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085729**

GSBF02K08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**088372**

GSBF02K16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**086563**

GSBF02R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085919

GSBF02R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



089529

GSBF02R12-502-MC1806

Series GSBF... 12/16 mm, mechanical

- Plunger spacing 12 or 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display optional



094147

GSBF02R12-502-MC1806/V10

Series GSBF... 12/16 mm, mechanical

- Plunger spacing 12 or 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display optional

**085967**

GSBF02R12-502LE220-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display

**089063**

GSBF02R12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085928**

GSBF02R16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**090043**

GSBF02R16-514-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085984

GSBF03D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



091213

GSBF03D12-1508-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085915

GSBF03D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



087645

GSBF03D12-502LE060-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display

**087643**

GSBF03D12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**096066**

GSBF03D16-1508-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085731**

GSBF03D16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



087648

GSBF03K12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088460

GSBF03K16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



086564

GSBF03R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085920

GSBF03R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085968

GSBF03R12-502LE220-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



087649

GSBF03R12-508-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



087644

GSBF03R12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085929**

GSBF03R16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085985**

GSBF04D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**087650**

GSBF04D12-1508-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085916**

GSBF04D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



087647

GSBF04D12-502LE060-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



089067

GSBF04D12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



096067

GSBF04D16-1508-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085927**

GSBF04D16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**086565**

GSBF04R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**088109**

GSBF04R12-1508-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085921**

GSBF04R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



087608

GSBF04R12-502LE060-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



087621

GSBF04R12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085930

GSBF04R16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



090046

GSBF04R16-514-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085986

GSBF05D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088353

GSBF05D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088371

GSBF05D16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088439

GSBF05K08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



086566

GSBF05R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085922

GSBF05R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088367

GSBF05R16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**090047**

GSBF05R16-514-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085987**

GSBF06D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**091144**

GSBF06D12-2514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display optional



085917

GSBF06D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088369

GSBF06D16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



086567

GSBF06R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085923

GSBF06R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



085925

GSBF06R12-502LE060-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



085969

GSBF06R12-502LE220-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529
- LED function display



089064

GSBF06R12-514-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085931**

GSBF06R16-502-M

Series GSBF... 16 mm, mechanical

- Plunger spacing 16 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**086500**

GSBF08D08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**085918**

GSBF08D12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

**086568**

GSBF08R08-552-M

Series GSBF... 8 mm, mechanical

- Plunger spacing 8 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529



088354

GSBF08R12-502-M

Series GSBF... 12 mm, mechanical

- Plunger spacing 12 mm
- Upright housing
- Degree of protection IP67 according to IEC 60529

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>