

Многофункциональные дверные модули MGB-AR

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

MULTIFUNCTIONAL GATE BOX MGB-AR



- Auxiliary release
- Connection via cable entry, M12 x 1.5 or plug connector
- Plug connector connection, either M23 (RC18) or M12, 12-pin
- Operation of guard locking via IMP as control input on PLC (only 3 mA)
- Monitoring outputs
- OD = ON when the door is closed.
- OT = Bolt tongue inserted into the evaluation module (in case of guard locking devices ready for control of the solenoid. In case of interlocking devices corresponds to safety outputs)
- OL = Guard locking solenoid locked in position (in case of guard locking devices: corresponds to safety outputs)
- OI = Diagnostics, there is a fault



105331

MGB-L0-ARA-AA1A1-M-105331

Interlocking module MGB-L0-ARA..., without control or indicator

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode




110953

MGB-L0-ARA-AA1A1-S1-L-110953

Interlocking module MGB-L0-ARA..., without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



111941

MGB-L0-ARA-AA1A1-S1-L-111941

Interlocking module MGB-L0-ARA..., without control or indicator, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



110950

MGB-L0-ARA-AA1A1-S1-R-110950

Interlocking module MGB-L0-ARA..., without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



111937

MGB-L0-ARA-AA1A1-S1-R-111937

Interlocking module MGB-L0-ARA..., without control or indicator, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



116302

MGB-L0-ARA-AA2A1-S1-L-116302

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




116300

MGB-L0-ARA-AA2A1-S1-R-116300

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



124257

MGB-L0-ARA-AA8A1-S1-L-124257

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels

- With plug connector RC18
- Unicode



124256

MGB-L0-ARA-AA8A1-S1-R-124256

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



106106

MGB-L0-ARA-AB8A1-M-106106

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- With cable entry
- Unicode



121058

MGB-L0-ARA-AL2A1-M-R-121058

Interlocking module MGB-L0-ARA..., with 2 pushbuttons

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry

- Unicode



121259

MGB-L0-ARA-AM3A1-M-L-121259

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121232

MGB-L0-ARA-AM3A1-M-R-121232

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121253

MGB-L0-ARA-AM3A1-M-R-121253

Interlocking module MGB-L0-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier

- Interlocking (without guard locking)

- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




110952

MGB-L0H-ARA-L-110952

Interlocking set MGB-L0H-ARA..., without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




110958

MGB-L0H-ARA-L-110958

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




121260

MGB-L0H-ARA-L-121260

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




124259

MGB-L0H-ARA-L-124259

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




105778

MGB-L0H-ARA-R-105778

Interlocking set MGB-L0H-ARA..., without controls or indicators

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode




105779

MGB-L0H-ARA-R-105779

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)

- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- With cable entry
- Unicode




110949

MGB-L0H-ARA-R-110949

Interlocking set MGB-L0H-ARA..., without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




110955

MGB-L0H-ARA-R-110955

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




121059

MGB-L0H-ARA-R-121059

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121254

MGB-L0H-ARA-R-121254

Interlocking sets MGB-L0H-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




124258

MGB-L0H-ARA-R-124258

Interlocking set MGB-L0H-ARA..., with 2 pushbuttons, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




110692

MGB-L0HE-ARA-L-110692

Interlocking set MGB-L0HE-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




111942

MGB-L0HE-ARA-L-111942

Interlocking set MGB-L0HE-ARA... without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- With escape release
- Unicode




105780

MGB-L0HE-ARA-R-105780

Interlocking set MGB-L0HE-ARA..., without controls or indicators

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- With escape release
- Unicode




110691

MGB-L0HE-ARA-R-110691

Interlocking set MGB-L0HE-ARA..., with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




111938

MGB-L0HE-ARA-R-111938

Interlocking set MGB-L0HE-ARA... without controls or indicators, RC18

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- With escape release
- Unicode



121233

MGB-L0HE-ARA-R-121233

Interlocking set MGB-L0HE-ARA..., with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode



104302

MGB-L1-ARA-AA1A1-M-104302

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode



111074

MGB-L1-ARA-AA1A1-S1-L-111074

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



111943

MGB-L1-ARA-AA1A1-S1-L-111943

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode
- Release monitoring



111071

MGB-L1-ARA-AA1A1-S1-R-111071

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



111939

MGB-L1-ARA-AA1A1-S1-R-111939

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode
- Release monitoring



111533

MGB-L1-ARA-AA1A1-S4-L-111533

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, M12

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector M12
- Unicode



111521

MGB-L1-ARA-AA1A1-S4-R-111521

Locking module MGB-L1-ARA... (guard locking by spring force) without controls or indicators, M12

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector M12

- Unicode



110793

MGB-L1-ARA-AA2A1-S1-L-110793

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking and guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




116303

MGB-L1-ARA-AA2A1-S1-L-116303

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode
- Release monitoring



110792

MGB-L1-ARA-AA2A1-S1-R-110792

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




116301

MGB-L1-ARA-AA2A1-S1-R-116301

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode
- Release monitoring




111654

MGB-L1-ARA-AA8A1-S1-L-111654

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



111653

MGB-L1-ARA-AA8A1-S1-R-111653

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




110219

MGB-L1-ARA-AB8A1-M-110219

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- With cable entry
- Unicode



117312

MGB-L1-ARA-AB8A1-S1-L-117312

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



117310

MGB-L1-ARA-AB8A1-S1-R-117310

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



111103

MGB-L1-ARA-AC4A1-S1-L-111103

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated and printed)
- incl. adhesive labels
- With plug connector RC18
- Unicode



111101

MGB-L1-ARA-AC4A1-S1-R-111101

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850

- 2 pushbuttons (illuminated and printed)
- incl. adhesive labels
- With plug connector RC18
- Unicode



119759

MGB-L1-ARA-AD3A1-S1-L-119759

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- Unicode




119757

MGB-L1-ARA-AD3A1-S1-R-119757

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- Unicode



110873

MGB-L1-ARA-AD4A1-S1-L-110873

Locking module MGB-L1-ARA... (guard locking by spring force) with 3 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (CES-AR and CET-AR)
- 3 pushbuttons (illuminated, wh, wh, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



110872

MGB-L1-ARA-AD4A1-S1-R-110872

Locking module MGB-L1-ARA... (guard locking by spring force) with 3 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (CES-AR and CET-AR)
- 3 pushbuttons (illuminated, wh, wh, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



114055

MGB-L1-ARA-AF8A1-S1-L-114055

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, ye)
- incl. adhesive label
- With plug connector RC18
- Unicode



114054

MGB-L1-ARA-AF8A1-S1-R-114054

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, ye)
- incl. adhesive label
- With plug connector RC18
- Unicode

**114784**

MGB-L1-ARA-AG2A1-M-114784

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, wh, wh)
- With cable entry
- Unicode

**119925**

MGB-L1-ARA-AI2A1-S6-L-119925

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbutton, emergency stop, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With plug connector RC26
- Unicode



119923

MGB-L1-ARA-AI2A1-S6-R-119923

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbutton, emergency stop, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With plug connector RC26
- Unicode



117228

MGB-L1-ARA-AI9A1-M-117228

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With cable entry
- Unicode



117230

MGB-L1-ARA-AJ1A1-M-117230

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With cable entry

- Unicode



109314

MGB-L1-ARA-AJ2A1-M-109314

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, selector switch and emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, wh)
- Selector switch (form V, 90°, illuminated)
- With cable entry
- Unicode




122235

MGB-L1-ARA-AJ4A1-M-R-122235

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, ye, wh and printed)
- With cable entry
- Unicode



120990

MGB-L1-ARA-AK1A1-M-R-120990

Locking module MGB-L1-ARA..., (guard locking by spring force) with 1 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)

- With lens set, 6 pcs.
- With cable entry
- Unicode



121039

MGB-L1-ARA-AK1A1-S1-L-121039

Locking module MGB-L1-ARA..., (guard locking by spring force) with 1 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode



121034

MGB-L1-ARA-AK1A1-S1-R-121034

Locking module MGB-L1-ARA..., (guard locking by spring force) with 1 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode



121050

MGB-L1-ARA-AL1A1-M-R-121050

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121100

MGB-L1-ARA-AL1A1-M-R-121100

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121106

MGB-L1-ARA-AL1A1-S1-L-121106

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



121104

MGB-L1-ARA-AL1A1-S1-R-121104

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode




121067

MGB-L1-ARA-AL2A1-M-L-121067

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121088

MGB-L1-ARA-AL2A1-M-L-121088

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121060

MGB-L1-ARA-AL2A1-M-R-121060

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- Lens set, 6 pcs.
- With cable entry
- Unicode



121086

MGB-L1-ARA-AL2A1-M-R-121086

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121130

MGB-L1-ARA-AL3A1-M-R-121130

Locking module MGB-L1-ARA..., (guard locking by spring force) with 1 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.

- With cable entry
- Unicode



157887

MGB-L1-ARA-AL3A1-S8-L-157887

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, M12 for enabling switch, RC26

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, wh)
- With plug connector RC26
- With plug connector M12 for enabling switch
- Unicode



157884

MGB-L1-ARA-AL3A1-S8-R-157884

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, M12 for enabling switch, RC26

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850
- 1 illuminated pushbuttons
- With plug connector RC26
- With plug connector M12 for enabling switch
- Unicode



121241

MGB-L1-ARA-AM3A1-M-L-121241

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121261

MGB-L1-ARA-AM3A1-M-L-121261

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121234

MGB-L1-ARA-AM3A1-M-R-121234

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121255

MGB-L1-ARA-AM3A1-M-R-121255

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121210

MGB-L1-ARA-AM3A1-S6-L-121210

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC26
- Unicode



121208

MGB-L1-ARA-AM3A1-S6-R-121208

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels

- With plug connector RC26
- Unicode



121192

MGB-L1-ARA-AM5A1-S1-L-121192

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode
- Only numbered connecting cables may be used.



121217

MGB-L1-ARA-AM5A1-S1-L-121217

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



121188

MGB-L1-ARA-AM5A1-S1-R-121188

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode
- Only numbered connecting cables may be used.



121215

MGB-L1-ARA-AM5A1-S1-R-121215

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



121226

MGB-L1-ARA-AM8A1-M-R-121226

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, key-operated rotary switch, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Key-operated rotary switch (form V, 40°)
- With cable entry

- Unicode
- Degree of protection IP54



121413

MGB-L1-ARA-AN1A1-M-L-121413

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, machine stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Machine stop (black-silver)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121411

MGB-L1-ARA-AN1A1-M-R-121411

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Machine stop (black-silver) with monitoring contact
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121421

MGB-L1-ARA-AN3A1-M-L-121421

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode
- IP54



121419

MGB-L1-ARA-AN3A1-M-R-121419

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode
- Degree of protection IP54



157849

MGB-L1-ARA-AN3A1-S1-L-157849

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54, RC 18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode
- IP54



157848

MGB-L1-ARA-AN3A1-S1-R-157848

Locking module MGB-L1-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54, RC 18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode
- IP54




160588

MGB-L1-ARA-AN6A1-M-L-160588

Locking module MGB-L1-ARA..., (guard locking by spring force) with 1 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Selector switch (form V, 2x40°)
- With cable entry
- Unicode



160587

MGB-L1-ARA-AN6A1-M-R-160587

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, selector switch and emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, wh)
- With lens set, 6 pcs.
- Selector switch (form V, 2x40°)
- With cable entry
- Unicode



121406

MGB-L1-ARA-AP7A1-M-L-121406

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Selector switch (form V, 90°)
- With cable entry
- Unicode



121404

MGB-L1-ARA-AP7A1-M-R-121404

Locking module MGB-L1-ARA..., (guard locking by spring force) with 2 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Selector switch (form V, 90°)
- With cable entry
- Unicode



121392

MGB-L1-ARA-AR1A1-M-R-121392

Locking module MGB-L1-ARA..., (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, 1 pushbutton = NC contact)
- With lens sets, 6 pcs.
- With cable entry
- Unicode




121026

MGB-L1-ARA-BL3A1-M-L-121026

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- Lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121022

MGB-L1-ARA-BL3A1-M-R-121022

Locking module MGB-L1-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- Lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121003

MGB-L1-ARC-AK1A1-M-R-121003

Locking module MGB-L1-ARC... (guard locking by spring force) with 1 pushbutton, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Multicode



121041

MGB-L1-ARC-AK1A1-S1-L-121041

Locking module MGB-L1-ARC... (guard locking by spring force) with 1 pushbutton, RC18, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Multicode



121036

MGB-L1-ARC-AK1A1-S1-R-121036

Locking module MGB-L1-ARC... (guard locking by spring force) with 1 pushbutton, RC18, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Multicode



109799

MGB-L1C-ARA-L-109799

Locking module MGB-L1-ARA... (guard locking by spring force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode



156859

MGB-L1C-ARA-L-156859

Locking module MGB-L1-ARA..., (guard locking by spring force) with 5 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 5 pushbuttons (illuminated)
- incl. adhesive labels
- With plug connector RC26
- Unicode



109798

MGB-L1C-ARA-R-109798

Locking module MGB-L1-ARA... (guard locking by spring force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




156858

MGB-L1C-ARA-R-156858

Locking module MGB-L1-ARA..., (guard locking by spring force) with 5 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 5 pushbuttons (illuminated)
- incl. adhesive labels
- With plug connector RC26
- Unicode




110614

MGB-L1H-ARA-L-110614

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




110871

MGB-L1H-ARA-L-110871

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 3 pushbuttons (illuminated, wh, wh, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




111022

MGB-L1H-ARA-L-111022

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated and printed)
- incl. adhesive labels
- With plug connector RC18
- Unicode




111073

MGB-L1H-ARA-L-111073

Locking set MGB-L1H-ARA... (guard locking by spring force) without control or indicator, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




111656

MGB-L1H-ARA-L-111656

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




117231

MGB-L1H-ARA-L-117231

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With cable entry
- Unicode



117316

MGB-L1H-ARA-L-117316

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




119926

MGB-L1H-ARA-L-119926

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, emergency stop, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With plug connector RC26
- Unicode




121027

MGB-L1H-ARA-L-121027

Locking set MGB-L1H-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode




121068

MGB-L1H-ARA-L-121068

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121107

MGB-L1H-ARA-L-121107

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121171

MGB-L1H-ARA-L-121171

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels

- With cable entry
- Unicode




121211

MGB-L1H-ARA-L-121211

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC26
- Unicode




121242

MGB-L1H-ARA-L-121242

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121262

MGB-L1H-ARA-L-121262

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121407

MGB-L1H-ARA-L-121407

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Selector switch (form V, 90°)
- With cable entry
- Unicode




121414

MGB-L1H-ARA-L-121414

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, machine stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Machine stop (black-silver)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121422

MGB-L1H-ARA-L-121422

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode
- Degree of protection IP54




105782

MGB-L1H-ARA-R-105782

Locking set MGB-L1H-ARA... (guard locking by spring force) without control or indicator

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode




105783

MGB-L1H-ARA-R-105783

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- With cable entry
- Unicode




110613

MGB-L1H-ARA-R-110613

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




110870

MGB-L1H-ARA-R-110870

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 3 pushbuttons (illuminated, wh, wh, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




111020

MGB-L1H-ARA-R-111020

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850

- 2 pushbuttons (illuminated and printed)
- incl. adhesive labels
- With plug connector RC18
- Unicode




111070

MGB-L1H-ARA-R-111070

Locking set MGB-L1H-ARA... (guard locking by spring force) without control or indicator, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




111655

MGB-L1H-ARA-R-111655

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



114785

MGB-L1H-ARA-R-114785

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, wh, wh)
- With cable entry
- Unicode




117229

MGB-L1H-ARA-R-117229

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With cable entry
- Unicode




117314

MGB-L1H-ARA-R-117314

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




119924

MGB-L1H-ARA-R-119924

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, emergency stop, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, wh, bu)
- With plug connector RC26
- Unicode




121023

MGB-L1H-ARA-R-121023

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 1 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121051

MGB-L1H-ARA-R-121051

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121061

MGB-L1H-ARA-R-121061

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121101

MGB-L1H-ARA-R-121101

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121105

MGB-L1H-ARA-R-121105

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121170

MGB-L1H-ARA-R-121170

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121209

MGB-L1H-ARA-R-121209

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC26
- Unicode




121235

MGB-L1H-ARA-R-121235

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121256

MGB-L1H-ARA-R-121256

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121405

MGB-L1H-ARA-R-121405

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Selector switch (form V, 90°)
- With cable entry
- Unicode




121412

MGB-L1H-ARA-R-121412

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, machine stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Machine stop (black-silver) with monitoring contact
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121420

MGB-L1H-ARA-R-121420

Locking set MGB-L1H-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, IP54

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode
- Degree of protection IP54




121509

MGB-L1H-ARA-R-121509

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels

- With cable entry
- Unicode



122236

MGB-L1H-ARA-R-122236

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, gn, ye, wh and printed)
- With cable entry
- Unicode




109807

MGB-L1HC-ARA-L-109807

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode



156861

MGB-L1HC-ARA-L-156861

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 5 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 5 pushbuttons (illuminated)
- incl. adhesive labels
- With plug connector RC26
- Unicode




109806

MGB-L1HC-ARA-R-109806

Locking set MGB-L1H-ARA... (guard locking by spring force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




156860

MGB-L1HC-ARA-R-156860

Locking set MGB-L1H-ARA..., (guard locking by spring force) with 5 pushbuttons, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 5 pushbuttons (illuminated)
- incl. adhesive labels
- With plug connector RC26
- Unicode




110690

MGB-L1HE-ARA-L-110690

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode
- Release monitoring




111534

MGB-L1HE-ARA-L-111534

Locking set MGB-L1HE-ARA... (guard locking by spring force) without control or indicator, M12

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector M12
- With escape release
- Unicode




111944

MGB-L1HE-ARA-L-111944

Locking set MGB-L1HE-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18

- With escape release
- Unicode
- Release monitoring




114057

MGB-L1HE-ARA-L-114057

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, ye)
- incl. adhesive label
- With plug connector RC18
- With escape release
- Unicode




119760

MGB-L1HE-ARA-L-119760

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 3 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- With escape release
- Unicode




121040

MGB-L1HE-ARA-L-121040

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 1 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- With escape release
- Unicode




121069

MGB-L1HE-ARA-L-121069

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121089

MGB-L1HE-ARA-L-121089

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- With escape release
- Unicode




121193

MGB-L1HE-ARA-L-121193

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode
- Only numbered connecting cables may be used.




121218

MGB-L1HE-ARA-L-121218

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




121243

MGB-L1HE-ARA-L-121243

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850

- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode



157851

MGB-L1HE-ARA-L-157851

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- With escape release
- Unicode
- Only numbered connecting cables may be used.




157890

MGB-L1HE-ARA-L-157890

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, M12 for enabling switch, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 illuminated pushbuttons
- With plug connector RC26
- With plug connector M12 for enabling switch
- With escape release
- Unicode




160590

MGB-L1HE-ARA-L-160590

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens sets, 6 pcs.
- Selector switch (form V, 2x40°)
- With cable entry
- With escape release
- Unicode




105784

MGB-L1HE-ARA-R-105784

Locking set MGB-L1HE-ARA... (guard locking by spring force) without control or indicator

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- With escape release
- Unicode




109313

MGB-L1HE-ARA-R-109313

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850

- 1 pushbutton (illuminated, wh)
- Selector switch (form V, 90°, illuminated)
- With cable entry
- With escape release
- Unicode




110220

MGB-L1HE-ARA-R-110220

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- With cable entry
- With escape release
- Unicode




110689

MGB-L1HE-ARA-R-110689

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode
- Release monitoring




111530

MGB-L1HE-ARA-R-111530

Locking set MGB-L1HE-ARA... (guard locking by spring force) without control or indicator, M12

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector M12
- With escape release
- Unicode




111940

MGB-L1HE-ARA-R-111940

Locking set MGB-L1HE-ARA... (guard locking by spring force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- With escape release
- Unicode
- Release monitoring



114056

MGB-L1HE-ARA-R-114056

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbutton (illuminated, ye)
- incl. adhesive label
- With plug connector RC18
- With escape release
- Unicode




119758

MGB-L1HE-ARA-R-119758

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 3 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- With escape release
- Unicode




120991

MGB-L1HE-ARA-R-120991

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 1 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- With lens sets, 6 pcs.
- 1 pushbuttons (illuminated)
- With escape release
- Unicode




121035

MGB-L1HE-ARA-R-121035

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 1 pushbutton, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18

- With escape release
- Unicode




121052

MGB-L1HE-ARA-R-121052

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121062

MGB-L1HE-ARA-R-121062

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbutton

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121087

MGB-L1HE-ARA-R-121087

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- With escape release
- Unicode




121131

MGB-L1HE-ARA-R-121131

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 1 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121189

MGB-L1HE-ARA-R-121189

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode
- Only numbered connecting cables may be used.




121216

MGB-L1HE-ARA-R-121216

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




121227

MGB-L1HE-ARA-R-121227

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, key-operated rotary switch, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- Key-operated rotary switch (form V, 40°)
- With cable entry
- With escape release
- Unicode
- Degree of protection IP54




121236

MGB-L1HE-ARA-R-121236

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121393

MGB-L1HE-ARA-R-121393

Locking set MGB-L1HE-ARA..., (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, 1 pushbutton = NC contact)
- With lens sets, 6 pcs.
- With cable entry
- With escape release
- Unicode




157850

MGB-L1HE-ARA-R-157850

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 2 pushbuttons, key-operated rotary switch, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Key-operated rotary switch (form L, 90°)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- With escape release
- Unicode




157888

MGB-L1HE-ARA-R-157888

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, M12 for enabling switch, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 illuminated pushbuttons
- With plug connector RC26
- With plug connector M12 for enabling switch
- With escape release
- Unicode




160589

MGB-L1HE-ARA-R-160589

Locking set MGB-L1HE-ARA... (guard locking by spring force) with 1 pushbutton, emergency stop, selector switch

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens sets, 6 pcs.
- Selector switch (form V, 2x40°)
- With cable entry
- With escape release
- Unicode




121042

MGB-L1HE-ARC-L-121042

Locking set MGB-L1HE-ARC... (guard locking by spring force) with 1 pushbutton, RC18, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- With escape release
- Multicode




121004

MGB-L1HE-ARC-R-121004

Locking set MGB-L1HE-ARC... (guard locking by spring force) with 1 pushbutton, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens sets, 6 pcs.
- With cable entry
- With escape release
- Multicode



121037

MGB-L1HE-ARC-R-121037

Locking set MGB-L1HE-ARC... (guard locking by spring force) with 1 pushbutton, RC18, multicode

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- With escape release
- Multicode



104303

MGB-L2-ARA-AA1A1-M-104303

Locking module MGB-L2-ARA... (guard locking by solenoid force) without controls or indicators

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode



109777

MGB-L2-ARA-AA1A1-S1-L-109777

Locking module MGB-L2-ARA... (guard locking by solenoid force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode



109776

MGB-L2-ARA-AA1A1-S1-R-109776

Locking module MGB-L2-ARA... (guard locking by solenoid force) without controls or indicators, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




110709

MGB-L2-ARA-AA2A1-S1-L-110709

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- Plug connector RC18
- Unicode




110708

MGB-L2-ARA-AA2A1-S1-R-110708

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- Plug connector RC18
- Unicode




117313

MGB-L2-ARA-AB8A1-S1-L-117313

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



117311

MGB-L2-ARA-AB8A1-S1-R-117311

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode



110861

MGB-L2-ARA-AD3A1-S1-L-110861

Locking module MGB-L2-ARA..., (guard locking by solenoid force) with 3 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- Unicode



110860

MGB-L2-ARA-AD3A1-S1-R-110860

Locking module MGB-L2-ARA..., (guard locking by solenoid force) with 3 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- Unicode



121053

MGB-L2-ARA-AL1A1-M-R-121053

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121070

MGB-L2-ARA-AL2A1-M-L-121070

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121174

MGB-L2-ARA-AL2A1-M-L-121174

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121064

MGB-L2-ARA-AL2A1-M-R-121064

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121172

MGB-L2-ARA-AL2A1-M-R-121172

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121113

MGB-L2-ARA-AL2A1-S1-L-121113

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.

- incl. adhesive labels
- With plug connector RC18
- Unicode



121111

MGB-L2-ARA-AL2A1-S1-R-121111

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121244

MGB-L2-ARA-AM3A1-M-L-121244

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121263

MGB-L2-ARA-AM3A1-M-L-121263

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121237

MGB-L2-ARA-AM3A1-M-R-121237

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode



121257

MGB-L2-ARA-AM3A1-M-R-121257

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121194

MGB-L2-ARA-AM5A1-S1-L-121194

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- Unicode



121203

MGB-L2-ARA-AM5A1-S1-L-121203

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- Unicode



121190

MGB-L2-ARA-AM5A1-S1-R-121190

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring

- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- Unicode



121201

MGB-L2-ARA-AM5A1-S1-R-121201

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



121353

MGB-L2-ARA-AP1A1-S1-L-121353

Locking module MGB-L2-ARA..., (guard locking by solenoid force) with 4 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 4 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode



121351

MGB-L2-ARA-AP1A1-S1-R-121351

Locking module MGB-L2-ARA..., (guard locking by solenoid force) with 4 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 4 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode

**109945**

MGB-L2-ARA-BA1A1-M-109945

Locking module MGB-L2-ARA... (guard locking by solenoid force) without control or indicator, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode

**121008**

MGB-L2-ARA-BK5A1-M-L-121008

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 1 pushbutton, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode



121010

MGB-L2-ARA-BK5A1-M-R-121010

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 1 pushbutton, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- Lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode




121028

MGB-L2-ARA-BL3A1-M-L-121028

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode



121024

MGB-L2-ARA-BL3A1-M-R-121024

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- Lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode



121222

MGB-L2-ARA-BM3A1-M-R-121222

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode



121181

MGB-L2-ARA-BM5A1-S1-L-121181

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



121179

MGB-L2-ARA-BM5A1-S1-R-121179

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode



112530

MGB-L2C-ARA-L-112530

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




112529

MGB-L2C-ARA-R-112529

Locking module MGB-L2-ARA... (guard locking by solenoid force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




109781

MGB-L2H-ARA-L-109781

Locking set MGB-L2H-ARA... (guard locking by solenoid force) without control or indicator, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




110616

MGB-L2H-ARA-L-110616

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




117317

MGB-L2H-ARA-L-117317

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




121009

MGB-L2H-ARA-L-121009

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 1 pushbutton, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode




121029

MGB-L2H-ARA-L-121029

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode



121071

MGB-L2H-ARA-L-121071

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121114

MGB-L2H-ARA-L-121114

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121175

MGB-L2H-ARA-L-121175

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.

- incl. adhesive labels
- With cable entry
- Unicode




121204

MGB-L2H-ARA-L-121204

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- Unicode




121264

MGB-L2H-ARA-L-121264

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121354

MGB-L2H-ARA-L-121354

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 4 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 4 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode




105786

MGB-L2H-ARA-R-105786

Locking set MGB-L2H-ARA... (guard locking by solenoid force) without control or indicator

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- Unicode




109780

MGB-L2H-ARA-R-109780

Locking set MGB-L2H-ARA... (guard locking by solenoid force) without control or indicator, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With plug connector RC18
- Unicode




110615

MGB-L2H-ARA-R-110615

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




117315

MGB-L2H-ARA-R-117315

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated, ye, wh)
- incl. adhesive labels
- With plug connector RC18
- Unicode




121011

MGB-L2H-ARA-R-121011

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 1 pushbutton, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode




121025

MGB-L2H-ARA-R-121025

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 1 pushbutton, emergency stop, incl. label carrier, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 1 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive label
- With cable entry
- Unicode




121065

MGB-L2H-ARA-R-121065

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121112

MGB-L2H-ARA-R-121112

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121173

MGB-L2H-ARA-R-121173

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode




121202

MGB-L2H-ARA-R-121202

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- Unicode




121238

MGB-L2H-ARA-R-121238

Locking set MGB-L2H-AR... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)

- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- Unicode




121258

MGB-L2H-ARA-R-121258

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With cable entry
- Unicode



121352

MGB-L2H-ARA-R-121352

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 4 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 4 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With plug connector RC18
- Unicode



112532

MGB-L2HC-ARA-L-112532

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




112531

MGB-L2HC-ARA-R-112531

Locking set MGB-L2H-ARA... (guard locking by solenoid force) with 3 pushbuttons, 2 indicators, emergency stop, incl. label carrier, RC26

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With control module MGB-C
- Emergency stop according to ISO 13850
- 3 pushbuttons (illuminated, wh, wh, bu)
- 2 indicators (illuminated, gn, rd)
- incl. adhesive labels
- With plug connector RC26
- Unicode




110821

MGB-L2HE-ARA-L-110821

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 3 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18

- With escape release
- Unicode




121072

MGB-L2HE-ARA-L-121072

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121182

MGB-L2HE-ARA-L-121182

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




121195

MGB-L2HE-ARA-L-121195

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- With escape release
- Unicode




121246

MGB-L2HE-ARA-L-121246

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




105788

MGB-L2HE-ARA-R-105788

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) without control or indicator

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- With escape release
- Unicode



109946

MGB-L2HE-ARA-R-109946

Locking set MGB-L2HE-ARA..., (guard locking by solenoid force) without control or indicator, guard lock monitoring switched off

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- With cable entry
- With escape release
- Unicode




110820

MGB-L2HE-ARA-R-110820

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 3 pushbuttons, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 1 pushbutton (illuminated, bu)
- 1 pushbutton (illuminated, with button labeling "Unlocked," wh)
- 1 pushbutton (illuminated, with button labeling "Locked," wh)
- With plug connector RC18
- With escape release
- Unicode




121054

MGB-L2HE-ARA-R-121054

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry

- With escape release
- Unicode




121066

MGB-L2HE-ARA-R-121066

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode




121180

MGB-L2HE-ARA-R-121180

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- With plug connector RC18
- With escape release
- Unicode




121191

MGB-L2HE-ARA-R-121191

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop, incl. label carrier, RC18

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- incl. adhesive labels
- Plug connector RC18
- With escape release
- Unicode




121223

MGB-L2HE-ARA-R-121223

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring (switched off)
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode



121239

MGB-L2HE-ARA-R-121239

Locking set MGB-L2HE-ARA... (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Can be connected in series with other AR devices (e.g. CES-AR and CET-AR)
- Emergency stop according to ISO 13850
- 2 pushbuttons (illuminated)
- With lens set, 6 pcs.
- With cable entry
- With escape release
- Unicode

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>