

Многофункциональные дверные модули

MGB ETHERNET/IP

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04


Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

MULTIFUNCTIONAL GATE BOX MGB ETHERNET/IP™



- Maximum safety, category 4/PL e
- Safety system with guard locking, handle and bolt
- Integrated Ethernet/IP™ switch
- CIP Safety protocol



136557

MGB-L0B-EIA-L-136557

Interlocking module MGB-L0...-EI with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode




136553

MGB-L0B-EIA-R-136553

Interlocking module MGB-L0...-EI with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode




158250

MGB-L0HB-EIA-L-158250

Interlocking set MGB-L0...-EI with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



158249

MGB-L0HB-EIA-R-158249

Interlocking set MGB-L0...-EI with 2 pushbuttons, emergency stop

- Interlocking (without guard locking)
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



126637

MGB-L1B-EIA-L-126637

Locking module MGB-L1...-EI (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



128326

MGB-L1B-EIA-L-128326

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



128329

MGB-L1B-EIA-L-128329

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons

- Guard locking with guard lock monitoring
- 3 illuminated pushbuttons
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136390

MGB-L1B-EIA-L-136390

Locking module MGB-L1...-EI (guard locking by spring force) with 4 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136480

MGB-L1B-EIA-L-136480

Locking module MGB-L1...-EI (Guard locking by spring force) with 4 pushbuttons, EMERGENCY STOP, 7/8" and M12 plug

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- Pre-assembled on mounting plates
- Unicode



136485

MGB-L1B-EIA-L-136485

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop and key-operated rotary switch

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850
- 3 illuminated pushbuttons
- OM.R key-operated rotary switch (2-channel)
- Connection via M12 plug
- Pre-assembled on mounting plates
- Integrated switch
- Unicode

**126635**

MGB-L1B-EIA-R-126635

Locking module MGB-L1...-EI (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode

**128323**

MGB-L1B-EIA-R-128323

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode

**128331**

MGB-L1B-EIA-R-128331

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons

- Guard locking with guard lock monitoring
- 3 illuminated pushbuttons
- Connection via M12 plug

- Pre-assembled on mounting plates
- Unicode



136388

MGB-L1B-EIA-R-136388

Locking module MGB-L1...-EI (guard locking by spring force) with 4 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136468

MGB-L1B-EIA-R-136468

Locking module MGB-L1...-EI (Guard locking by spring force) with 4 pushbuttons, EMERGENCY STOP, 7/8" and M12 plug

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- Pre-assembled on mounting plates
- Unicode




136473

MGB-L1B-EIA-R-136473

Locking module MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop and key-operated rotary switch

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850
- 3 illuminated pushbuttons
- OM.R key-operated rotary switch (2-channel)
- Connection via M12 plug
- Pre-assembled on mounting plates
- Integrated switch
- Unicode



126638

MGB-L1HB-EIA-L-126638

Locking set MGB-L1...-EI (guard locking by spring force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode




128327

MGB-L1HB-EIA-L-128327

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



128330

MGB-L1HB-EIA-L-128330

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons

- Guard locking with guard lock monitoring
- 3 illuminated pushbuttons
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136389

MGB-L1HB-EIA-L-136389

Locking set MGB-L1...-EI (guard locking by spring force) with 4 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode




159095

MGB-L1HB-EIA-L-159095

Locking set MGB-L1...-EI (Guard locking by spring force) with 4 pushbuttons, EMERGENCY STOP


- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- Connection via 7/8" and M12 plugs
- Pre-assembled on mounting plates
- Unicode

**126636**

MGB-L1HB-EIA-R-126636

Locking set MGB-L1...-EI (guard locking by spring force) with 2 pushbuttons, emergency stop


- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode

**128324**

MGB-L1HB-EIA-R-128324

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode


**128332**

MGB-L1HB-EIA-R-128332

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons

- Guard locking with guard lock monitoring
- 3 illuminated pushbuttons
- Connection via M12 plug

- Pre-assembled on mounting plates
- Unicode




136386

MGB-L1HB-EIA-R-136386

Locking set MGB-L1...-EI (guard locking by spring force) with 4 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



159094

MGB-L1HB-EIA-R-159094

Locking set MGB-L1...-EI (Guard locking by spring force) with 4 pushbuttons, EMERGENCY STOP

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- Connection via 7/8" and M12 plugs
- Pre-assembled on mounting plates
- Unicode




166743

MGB-L1HEB-EIA-L-166743

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop and key-operated rotary switch

- Guard locking with guard lock monitoring

- Emergency stop according to ISO 13850
- 3 illuminated pushbuttons
- OM.R key-operated rotary switch (2-channel)
- Connection via M12 plug
- Pre-assembled on mounting plates
- Integrated switch
- With escape release
- Unicode



166742

MGB-L1HEB-EIA-R-166742

Locking set MGB-L1...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop and key-operated rotary switch

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850
- 3 illuminated pushbuttons
- OM.R key-operated rotary switch (2-channel)
- Connection via M12 plug
- Pre-assembled on mounting plates
- Integrated switch
- With escape release
- Unicode



127678

MGB-L2B-EIA-L-127678

Locking module MGB-L2...-EI (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136522

MGB-L2B-EIA-L-136522

Locking module MGB-L2...-EI (guard locking by solenoid force) with 3 pushbuttons, emergency stop, RC12

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- Connection via M12 plug
- including terminal plug for enabling switch
- Pre-assembled on mounting plates
- Unicode



136523

MGB-L2B-EIA-L-136523

Locking module MGB-L2...-EI (guard locking by spring force) with 3 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- Connection via 7/8" and M12 plugs
- including terminal plug for enabling switch
- Pre-assembled on mounting plates
- Integrated Profinet RT switch
- Unicode



136525

MGB-L2B-EIA-L-136525

Locking module MGB-L2...-EI (guard locking by solenoid force) with 4 pushbuttons, emergency stop, 7/8" and M12 plugs

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated

- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- including terminal plug for stack light (M12, 5-pin)
- Pre-assembled on mounting plates
- Unicode



127676

MGB-L2B-EIA-R-127676

Locking module MGB-L2...-EI (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



136508

MGB-L2B-EIA-R-136508

Locking module MGB-L2...-EI (guard locking by solenoid force) with 3 pushbuttons, emergency stop, RC12

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- Connection via M12 plug
- including terminal plug for enabling switch
- Pre-assembled on mounting plates
- Unicode



136511

MGB-L2B-EIA-R-136511

Locking module MGB-L2...-EI (guard locking by solenoid force) with 4 pushbuttons, emergency stop, 7/8" and M12 plugs

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- including terminal plug for stack light (M12, 5-pin)
- Pre-assembled on mounting plates
- Unicode



127679

MGB-L2HB-EIA-L-127679

Locking set MGB-L2...-EI (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode




157791

MGB-L2HB-EIA-L-157791

Locking set MGB-L2...-EI (guard locking by solenoid force) with 3 pushbuttons, emergency stop, RC12

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- Connection via M12 plug
- including terminal plug for enabling switch
- Pre-assembled on mounting plates
- Unicode




127677

MGB-L2HB-EIA-R-127677

Locking set MGB-L2...-EI (guard locking by solenoid force) with 2 pushbuttons, emergency stop

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 2 illuminated pushbuttons
- including adhesive labels
- Connection via M12 plug
- Pre-assembled on mounting plates
- Unicode



157789

MGB-L2HB-EIA-R-157789

Locking set MGB-L2...-EI (guard locking by solenoid force) with 3 pushbuttons , emergency stop, M12, RC12

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 3 illuminated pushbuttons
- Connection via M12 plug
- including terminal plug for enabling switch
- Pre-assembled on mounting plates
- Unicode




161480

MGB-L2HEB-EIA-L-161480

Locking set MGB-L2...-EI (guard locking by solenoid force) with 5 control elements, 7/8" and M12 plugs

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated

- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- including terminal plug for stack light (M12, 5-pin)
- Pre-assembled on mounting plates
- With escape release
- Unicode



161479

MGB-L2HEB-EIA-R-161479

Locking set MGB-L2...-EI (guard locking by solenoid force) with 4 pushbuttons, emergency stop, 7/8" and M12 plugs

- Guard locking with guard lock monitoring
- Emergency stop according to ISO 13850, illuminated
- 4 illuminated pushbuttons
- including adhesive labels
- Connection via 7/8" and M12 plugs
- including terminal plug for stack light (M12, 5-pin)
- Pre-assembled on mounting plates
- With escape release
- Unicode

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>