

Предохранительные выключатели в металлическом корпусе, с металлической головкой, типа STA

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>

SAFETY SWITCH STA



Description

The robust metal safety switch STA is physically compatible with the proven EUCHNER safety switches TP and STP in the plastic housing. Due to its die-cast aluminum housing and the high degree of protection, IP67, the switch can withstand even extreme ambient conditions. Like the switches TP and STP, the safety switch STA also has guard locking and guard lock monitoring. A large selection of switching elements is available. The switching contacts switch a minimum current of 1 mA. The safety switch STA is therefore also suitable for use in safe control systems.

Features

- Robust design
- 3 cable entries
- High degree of protection IP67
- LED optional



105617

STA-TW-3A-2131AC024M

Safety switch STA-TWIN with door monitoring contact

- Two actuating heads made of metal
- Simultaneous monitoring of two safety doors
- Auxiliary release on the front
- With door monitoring contact



105888

STA-TW-3A-2131AC024M-S1

Safety switch STA-TWIN with door monitoring contact

- Two actuating heads made of metal
- Simultaneous monitoring of two safety doors
- Auxiliary release on the front
- Auxiliary key release
- With door monitoring contact



106379

STA-TW-3A-4121AC024L024M

Safety switch STA-TWIN with door monitoring contact

- Two actuating heads made of metal
- Simultaneous monitoring of two safety doors
- Auxiliary release on the front
- With door monitoring contact
- With LED function display



106545

STA-TW-3A-4121AC024M

Safety switch STA-TWIN with door monitoring contact

- Two actuating heads made of metal
- Simultaneous monitoring of two safety doors
- Auxiliary release on the front
- With door monitoring contact



096439

STA1A-4131A024M

Safety switch STA without door monitoring contact

- Auxiliary release on the front
- Without door monitoring contact



096935

STA2A-4131A024M

Safety switch STA without door monitoring contact

- Auxiliary release on the front
- Without door monitoring contact



109574

STA2A-4131A024SR11

Safety switch STA, plug connector SR11, with door monitoring contact

- Actuating head made of metal
- Auxiliary release on the front
- With door monitoring contact



119366

STA3A-2131A024L024BHA10C2398

Safety switch STA with door monitoring contact, escape release

- Auxiliary release on the front
- Escape release from the rear

- With door monitoring contact
- With LED function display



099658

STA3A-2131A024L024RC18

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)
- With LED function display



106623

STA3A-2131A024L024RC18C1826

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)
- With LED function display



096938

STA3A-2131A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



103660

STA3A-2131A024MC1993

Safety switch STA with door monitoring contact, escape release

- Auxiliary release on the front
- Escape release from the rear
- With door monitoring contact

**115584**

STA3A-2131A024MF-EX

Safety switch STA with door monitoring contact, ATEX

- ATEX version
- Suitable for use in zones 2 and 22 (gases and dusts)
- Auxiliary release on the front
- With door monitoring contact

**104171**

STA3A-2131A230M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact

**106535**

STA3A-4121A024L024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Two LED displays, red and green
- With LED function display



096936

STA3A-4121A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



115586

STA3A-4121A024MF-EX

Safety switch STA with door monitoring contact, ATEX

- ATEX version
- Suitable for use in zones 2 and 22 (gases and dusts)
- Auxiliary release on the front
- With door monitoring contact



105304

STA3A-4121A024SR11

Safety switch STA, plug connector SR11, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector SR11



099480

STA3A-4131A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



100898

STA3A-4141A024L024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Two LED displays, red and green
- With LED function display



114416

STA3A-4141A024L024RC18C1826

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)
- With LED function display



099274

STA3A-4141A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



100029

STA3A-4141A024RC18

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)

**098993**

STA3A-4141A024SEM4AS1

Safety switch STA ASi, plug connector M12 (closed-circuit current principle)

- Actuating head made of metal
- Auxiliary release on the front

**119732**

STA3A-4141A024SEM4AS1C1993

Safety switch STA ASi, plug connector M12, escape release (closed-circuit current principle)

- Escape release on the rear side
- Auxiliary release on the front

**173636**

STA3A-4141A024SM8C2636

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M12, 8-pin

**103926**

STA4A-2131A024L024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Two LED displays, red and green
- With LED function display

**105303**

STA4A-2131A024L024RC18

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)
- Two LED displays, red and green
- With LED function display

**106622**

STA4A-2131A024L024RC18C1826

Safety switch STA, plug connector RC18, with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact
- Plug connector M23 (RC18)
- Two LED displays, red and green
- With LED function display



096939

STA4A-2131A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



115585

STA4A-2131A024MF-EX

Safety switch STA with door monitoring contact, ATEX

- ATEX version
- Suitable for use in zones 2 and 22 (gases and dusts)
- Auxiliary release on the front
- With door monitoring contact



096937

STA4A-4121A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



123076

STA4A-4121A024MF-EX

Safety switch STA with door monitoring contact, ATEX

- ATEX version

- Suitable for use in zones 2 and 22 (gases and dusts)
- Auxiliary release on the front
- With door monitoring contact



099481

STA4A-4131A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



109172

STA4A-4141A024M

Safety switch STA with door monitoring contact

- Auxiliary release on the front
- With door monitoring contact



105305

STA4A-4141A024SEM4AS1

Safety switch STA ASi, plug connector M12 (open-circuit current principle)

- Auxiliary release on the front

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eai@nt-rt.ru || сайт: <https://euchner.nt-rt.ru/>